

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/006620

International filing date: 02 March 2005 (02.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/549,621
Filing date: 02 March 2004 (02.03.2004)

Date of receipt at the International Bureau: 31 March 2005 (31.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1298024

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

March 18, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/549,621

FILING DATE: *March 02, 2004*

RELATED PCT APPLICATION NUMBER: *PCT/US05/06620*



Certified by


Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

PROVISIONAL PATENT APPLICATION COVER SHEET

is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 C.F.R. §1.53(c)

030204

19587 U.S. PTO
60/549621

Express Mail Label No.: EV 199928621 US		Attorney Docket No.: 9968-115US
INVENTOR(S)		
Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
Miriam Brian Marcia Aaron	Kelley Aiken Ganes Hinklin	Buffalo, New York East Aurora, New York West Seneca, New York Buffalo, New York
<input type="checkbox"/> Additional inventors are being named on _____ separately numbered sheets attached hereto		
TITLE OF INVENTION (500 characters maximum)		
ELECTRONIC BOOK SYSTEM FOR TACTILE SENSING		
CORRESPONDENCE ADDRESS		
Customer No.: 000570 AKIN GUMP STRAUSS HAUER & FELD LLP One Commerce Square 2005 Market Street, Suite 2200 Philadelphia, PA 19103 Telephone: 215-965-1200 Facsimile: 215-965-1210		PLACE BAR CODE LABEL HERE
ENCLOSED APPLICATION PARTS (check all that apply)		
<input checked="" type="checkbox"/> Specification - Number of Pages: <u>5</u> <input checked="" type="checkbox"/> Drawing(s) - Number of Sheets: <u>6</u> <input type="checkbox"/> Application Data Sheet		<input type="checkbox"/> CD(s), Number: _____ <input type="checkbox"/> Other (specify) _____
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT		
<input type="checkbox"/> Applicant(s) claim Small Entity Status under 37 C.F.R. §1.27 as: <input type="checkbox"/> an Independent Inventor, or <input type="checkbox"/> a Small Business Concern, or <input type="checkbox"/> a Non-Profit Organization.		
<input checked="" type="checkbox"/> A check in the amount of \$160.00 under 37 CFR §1.16(k) (Fee Code 1005) is enclosed herewith.		
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge or credit Deposit Account No. 50-1017 as indicated below.		
<input type="checkbox"/> Provisional Application Filing Fee in the amount of \$160.00 under 37 CFR §116(k) (Fee Code 1005).		
<input checked="" type="checkbox"/> Any deficiencies or overpayments in the above-calculated fee.		
<input checked="" type="checkbox"/> Any additional fees required under 37 CFR §1.16 or §1.17.		
The invention was made by an agency of the United States Government or under a contract with an agency of the U.S. Government.		
<input checked="" type="checkbox"/> No.		
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are:		
<u>March 2, 2004</u> Date		Respectfully submitted,  Richard A. Woldin Reg. No. 39,879 Akin Gump Strauss Hauer & Feld LLP One Commerce Square 2005 Market Street, Suite 2200 Philadelphia, PA 19103 Direct Dial: 215-965-1296 E-mail: rwoldin@akingump.com

TITLE OF THE INVENTION

Electronic Book System For Tactile Sensing

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

The foregoing summary, as well as the following detailed description of preferred
5 embodiments of the invention, will be better understood when read in conjunction with the
appended drawings, Figs. 1-12. For the purpose of illustrating the invention, there is shown in
these drawings embodiments which are presently preferred. It should be understood, however,
that the invention is not limited to the precise arrangements and instrumentalities shown.

DETAILED DESCRIPTION OF THE INVENTION

10 Certain terminology is used in the following description for convenience only and is not
limiting. The words "right," "left," "lower" and "upper" designate directions in the drawings to
which reference is made. The words "inwardly" and "outwardly" refer to directions toward and
away from, respectively, the geometric center of base unit or a page spread of the electronic
book system, and designated parts thereof. The terminology includes the words noted above,
15 derivatives thereof and words of similar import.

Additionally, as used in the claims and the corresponding portions of the specification,
the word "a" means "at least one." Further, the word "or" has the meaning of a Boolean
inclusive "Or". For example, the phrase "A or B" means "A" alone or "B" alone or both "A"
and "B".

20 A digital image of a first preferred embodiment of the electronic book system for tactile
sensing, generally designated 10, and hereinafter referred to as the "EBS" 10 in accordance with
the present invention is shown in Fig. 1. The EBS 10 is an interactive, finger-based, electronic
learning system that allows a child to activate electronic speech by pointing to words or objects
on the cover and pages of multi-page books. The principle components of the system are a base
25 unit 20 housing system electronics, a starter book 30, such as the Little People Farm 40 (Figs. 2
and 4-5), removably mountable in a book well in the base unit, and read only memory ("ROM")
(not shown) within the base unit having stored therein software with the content of the starter
book. The starter book may be supplemented by a library of supplemental books, each
associated with a ROM cartridge removably insertable in the base unit. The ROM cartridges
30 have stored therein software and data relating to the content of the supplemental books. In

addition to book-based activity, a graphic of an eight-key musical keyboard and graphics of music related objects on the upwardly facing surface of the bottom of the book well and additional software in the ROM in the base unit allow music-based book-well game play when a book is not present in the book well. A digital image of the EBS base unit without a book in the book well is shown in Fig. 3.

The EBS base unit preferably is provided with a removable dummy ROM cartridge (without software or data) for aesthetic purposes as the software or data required for the starter book and the music-based book-well game play are in the non removable ROM in the base unit.

The general functionality of the base unit and the electronics in the base unit are substantially the same as the functionality and electronics disclosed in detail for the base unit in pending U.S. Non-Provisional Patent Application 10/448,583 filed May 30, 2003 and entitled "An Electronic Learning Device For An Interactive Multi-Sensory Reading System". Accordingly, the base unit 20 has a position sensor for detecting the selection of one or more active areas or objects appearing on the upper surface of the book-well or on the pages of a book in the book well as disclosed in detail in U.S. Non-Provisional Patent Application No. 10/448,582 filed May 30, 2003 and entitled "Interactive Multi-Sensory Reading System Electronic Teaching/Learning Device." The base unit electronics also provides an autonomous optical page identification system disclosed in detail in International Application PCT/US04/02518 filed May 30, 2003 and entitled "Interactive Electronic Device with Optical Page Identification System" (U.S. Provisional Application No. 60/443,967 entitled "Optical Page Identification System"). Each of the above cited applications is incorporated herein by reference.

Referring to Fig. 3, the upwardly facing surface of the bottom of the base unit book well 50 has selectable graphic keys simulating a musical key board that allows a child to play a scale on an instrument such a xylophone. Sounds related to other musical instruments can be activated by selecting the corresponding graphic also appearing of the surface of the book well.

Referring to Figs. 2 and 10-11, the books configured for use with the base unit are bound either with a spiral binding (Fig. 2) or a generally "D" shaped binding (Figs. 2 and 11). However, other well known binding methods that are safe for toddlers to user may be used to

bind the books. Alternatively, substantially planar cards, such as the cards shown in Fig. 9, may be removably placed in the book well instead of bound books.

The graphic layouts appearing on the page spreads of the books and the cards preferably, but not necessarily, include one or more selectable objects that have some tactile feature. For example, referring to Fig. 9, the picture frame 101, the bed spread 102, Zoe's body 103 and Elmo's body 104 have fabric overlays with a different texture. The tactile features are not limited to fabric textures, and may include other textures such as the cardboard texture of the box 105 and the wood texture of the box 106 also appearing in Fig. 9. The tactile features are not limited to the above examples and may include features associated with any known material or selectable object such as raised printing, stickers and embossed stickers, paper including sand paper and foil paper. Topographical textural features associated with molded polymeric materials also are included within the meaning of the phrase "tactile features".

The tactile features associated with a selectable object appearing on a page spread or card may be accessible only when the page spread or card on which the tactile feature is attached or, alternatively, may be accessible when the user is viewing page spreads or cards other than the page spread or card on which the tactile feature is attached. For example, referring to Figs. 4-5, the cover 110 (Fig. 4) of the "Little People Farm" book and the first underlying page spread 112 have a cut out 114 in the lower right corner, allowing the farmer 116 on a page spread 118 underlying the first page spread 112 to be accessible when the cover 110 or the first page spread 112 are viewable by the user. Accordingly, tactile features, if any, associated with the farmer 116 are selectable at times other than only when the page spread 118 is viewable. In contrast, animals 120 appearing on the first underlying page spread 112 are only viewable when the first page spread 112 is viewable.

Referring to Figs. 6-8, in addition to the cut outs 114 discussed above, circular die cuts 130 on successively overlying page spreads provide access to underlying objects with tactile features. The shape of the die cuts need not be circular as they can be any arbitrary shape without departing from the scope and spirit of the invention. The book shown in Figs. 6-8 comprises a plurality of bound pages including a cover page 132, a first page spread 134, and a last page spread 136. The dog 138 in the right hand portion of the last page spread 136 has a body with a fur spot 140 as a tactile feature. The fur spot 140 is accessible through the circular die cuts 130 in register with and overlay the fur spot 140. Accordingly, for a viewable page

spread, such as the page spread 134 (Fig. 7) having a right die cut 130a and a left die cut 130b on the corresponding right and left hand portions of the page spread, only the right die cut 130a provides accessibility to the underlying fur spot 140. The left die cut 130b does not overlay an object with tactile features. However, another novel feature of the present invention is that the selection of the left die cut (e.g., placing a finger in the circular hole) may cause the base unit to produce an audible output related to a selectable object, if any, underlying the left die cut 130b or a predetermined audible output unrelated to the underlying object or a change in the mode of operation of the device.

The interaction between the user and EBS is script based. Any and all of the modes of operation (story, word, spelling, phonics, surprise, find, count, and music) discussed in pending U.S. Non-Provisional Patent Application 10/448,583, incorporated by reference above, are available to the script writer. In addition, new modes the instructions for which may be stored in the removable ROM cartridges associated with the supplemental books and cards may provide additional functionality for the EBS. The typical interaction relating to the tactile features of one or more of the associated selectable objects include but are not limited to the following: a non-prompted touch of an object having a tactile feature may cause the EBS to produce an attribute associated with the object as an audible output, (e.g., barking, if the object is a fur spot of a dog) or, alternatively, an audible output associated with the tactile feature (e.g., I have fur, if the fur spot of the dog is touched). Prompted interactions include such prompts as "touch something furry" followed by a positive acknowledgement if the fur spot of the dog is touched, a negative acknowledgement if an incorrect selection is made. A hint for a next attempt may also be provided. The gist of the invention relating to the tactile features is to provide script based interaction directed to providing the user with either an entertaining or learning experience exploring tactile features using an interactive electronic book system. Accordingly, there is no limit intended on the nature of the interaction provided.

As stated above, the nature of the configuration of a book with a plurality of overlying die cuts providing accessibility to a selectable object with tactile features on an underlying page is that as the right hand portion of a two page spread is turned to view the right hand portion of an underlying page spread, the position of the die cut that is in registry with the tactile feature when positioned on the right may not be in registry with another object with a tactile feature when the die cut is positioned on the left. Accordingly, the present invention provides for an

interactive experience even if the die cut does not provide accessibility to a tactile feature. As the interaction is scripted, upon selection of a die cut that is not associated with a tactile feature, the base unit electronics may respond by changing to another mode of operation, such as music mode in which a predetermined music-related output is produced, or any other output the script writer may provide including an output associated with an underlying but selectable object, if any, that is in register with the die cut.

It will be appreciated by those skilled in the art that changes could be made to the embodiments described above without departing from the broad inventive concept thereof. It is understood, therefore, that this invention is not limited to the particular embodiments disclosed, but it is intended to cover modifications within the spirit and scope of the present invention as defined by the appended claims.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12